

Page 1/8

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2022

Version number 9 (replaces version 8)

Revision: 08.12.2022

Remmers (UK) Limited

fon +44 (0) 1293 594 010 fax +44 (0) 1293 594 037

Unit 4, Lloyds Court

SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifier** Trade name INDULINE GW-360

Article number: 3201-07. 3275-79

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Product category PC9a Coatings and paints, thinners, paint removers Application of the substance / the mixture Wood treatment

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: **Remmers GmbH** Bernhard-Remmers-Str. 13 D-49624 Löningen / Germany Manor Royal, Crawley - West Sussex RH10 9QU Tel.: +49(0)5432/83-0 Fax: +49(0)5432/3985

Information department:

Product Safety department: Phone: +44 (0) 1293 594 010 Email: sales@remmers.co.ukk

### 1.4 Emergency telephone number:

National Poisons Information Service (NPIS): In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

24h-Transport Emergency Contact Phone Number: within USA and Canada: 1-800-424-9300 outside USA and Canada: 001-703-527-3887

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void Additional information: EUH208 Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol, reaction mass of 5-chloro-2- methyl-2Hisothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1), 1,2-benzisothiazol-3(2H)-one, 3iodo-2-propynyl butylcarbamate. May produce an allergic reaction. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. 2.3 Other hazards Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

according to 1907/2006/EC, Article 31 Version number 9 (replaces version 8)

Printing date 08.12.2022

Revision: 08.12.2022

## Trade name INDULINE GW-360

(Contd. of page 1)

#### SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

**Description:** Mixture of the substances listed below with harmless additions.

Dangerous components [% w/w]:		
CAS: 34590-94-8 EINECS: 252-104-2 Reg.nr.: 01-2119450011-60- XXXX	(2-methoxymethylethoxy)propanol substance with a Community workplace exposure limit	≥1-<2.5%
CAS: 107-21-1 EINECS: 203-473-3 Index number: 603-027-00-1 Reg.nr.: 01-2119456816-28- XXXX	ethane-1,2-diol STOT RE 2, H373; Acute Tox. 4, H302	≥0.5-≤1%
CAS: 126-86-3 EINECS: 204-809-1 Reg.nr.: 01-2119954390-39- XXXX	2,4,7,9-tetramethyldec-5-yne-4,7-diol Eye Dam. 1, H318; Skin Sens. 1, H317; Aquatic Chronic 3, H412	≥0.5-<1%
CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0 Reg.nr.: 01-2119475108-36- XXXX	2-butoxyethanol Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE: LD50 oral: 1,200 mg/kg	≥0.1-≤0.25%
CAS: 55406-53-6 EINECS: 259-627-5 Index number: 616-212-00-7	3-iodo-2-propynyl butylcarbamate Acute Tox. 3, H331; STOT RE 1, H372; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Acute Tox. 4, H302; Skin Sens. 1, H317	≥0.1-<0.25%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1;H317: C ≥ 0.05 %	≥0.0015-<0.05%
CAS: 55965-84-9 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48- XXXX	reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C;H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.00025-<0.0015%

Additional information For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures** 

### 4.1 Description of first aid measures

**General information** When symptoms occur or in case of doubt, seek medical advice **After inhalation** Take affected persons into the open air and position comfortably

After skin contact If skin irritation continues, consult a doctor.

After eye contact Rinse opened eye for several minutes under running water.

After swallowing Seek immediate medical advice.

**4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

according to 1907/2006/EC, Article 31

Printing date 08.12.2022

Version number 9 (replaces version 8)

Revision: 08.12.2022

### Trade name INDULINE GW-360

(Contd. of page 2)

### **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing agents Use fire fighting measures that suit the environment.
5.2 Special hazards arising from the substance or mixture
May be released in case of fire
Carbon monoxide (CO)
Carbon dioxide
5.3 Advice for firefighters
Protective equipment: No special measures required.
Additional information
Cool endangered containers with water spray jet.
Collect contaminated fire fighting water separately. It must not enter drains.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Ensure adequate ventilation

6.2 Environmental precautions: Do not allow to enter the ground/soil.
6.3 Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
6.4 Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.
SECTION 7: Handling and storage

### 7.1 Precautions for safe handling Use only in well ventilated areas.

#### 7.2 Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and containers: No special requirements.

Information on storage in a common storage facility: none

Further information about storage conditions:

Protect from frost.

Store container in a well ventilated position.

**SECTION 8: Exposure controls/personal protection** 

### 8.1 Control parameters

ponents with limit values that require monitoring at the workplace:
: 34590-94-8 (2-methoxymethylethoxy)propanol
Long-term value: 308 mg/m³, 50 ppm Sk
: 107-21-1 ethane-1,2-diol
- Short-term value: 104** mg/m³, 40** ppm Long-term value: 10* 52** mg/m³, 20** ppm Sk *particulate **vapour
: 111-76-2 2-butoxyethanol
- Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm Sk, BMGV
edients with biological limit values:
: 111-76-2 2-butoxyethanol
GV 240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid

Page 4/8

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2022

Version number 9 (replaces version 8)

Revision: 08.12.2022

(Contd. of page 3)

### Trade name INDULINE GW-360

Additional information: The lists that were valid during compilation were used as a basis.

### 8.2 Exposure controls

Appropriate engineering controls No further data; see item 7. Individual protection measures, such as personal protective equipment

**General protective and hygienic measures** Do not eat, drink or smoke while working.

Use skin protection cream for preventive skin protection.

Wash hands before pauses and after work.

The following indication regarding the personal protective equipment are to be considered as suggestions. The selection of the necessary personal protective equipment is to be evaluated by the employer depending on the types of operations and the local circumstances. If a risk assessment onsite shows that there is no risk for employees, the personal protective euiqment is not required or the amount of the PPE can be adpated accordingly.

### **Respiratory equipment:**

Use respiratory protection only when aerosol or mist is formed.

Filter A/P2.

### Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

Break through time: max. 240 min (DIN EN 374).

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection** if there is a risk of splashes **Body protection:** Protective work clothing.

**SECTION 9: Physical and chemical properties** 

9.1 Information on basic physical and chemical properties		
General Information		
Physical state	Fluid	
Colour:	Different, according to dye	
Odour:	Characteristic	
Odour threshold:	Not determined.	
Melting point/freezing point:	Not determined	
Boiling point or initial boiling point and boiling	]	
range	100 °C	
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	Not applicable	
Ignition temperature:	not applicable	
Decomposition temperature:	Not determined.	
pH at 20 °C	8.2	
Viscosity:		
Kinematic viscosity at 20 °C	24-26 s (ISO 3 mm)	
dynamic:	Not determined.	
Solubility		
Water:	Not miscible or difficult to mix	
Partition coefficient n-octanol/water (log value) Not determined.		
Vapour pressure:	Not determined.	

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 08.12.2022

Version number 9 (replaces version 8)

Revision: 08.12.2022

## Trade name INDULINE GW-360

(Contd. of page 4)

Density and/or relative density	
Density at 20 °C:	1.014 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health	
and environment, and on safety.	
Explosive properties:	Product is not explosive.
Solvent separation test	< 3 %
VOC EU	<130 g/l
Change in condition	-
Evaporation rate	Not determined.
Information with regard to physical hazard	
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

### **SECTION 10: Stability and reactivity**

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if handled and stored according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

10.6 Hazardous decomposition products:

None if used properly.

None if stored properly.

### **SECTION 11: Toxicological information**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity:** Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification: No further relevant information available. Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/irritation: Based on available data, the classification criteria are not met. Sensitisation: Based on available data, the classification criteria are not met. Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

according to 1907/2006/EC, Article 31

Printing date 08.12.2022

Version number 9 (replaces version 8)

Revision: 08.12.2022

## Trade name INDULINE GW-360

(Contd. of page 5)

**STOT-single exposure:** Based on available data, the classification criteria are not met. **STOT-repeated exposure:** Based on available data, the classification criteria are not met. **Aspiration hazard:** Based on available data, the classification criteria are not met. **11.2 Information on other hazards** 

### Endocrine disrupting properties

None of the ingredients is listed.

**SECTION 12: Ecological information** 

### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

### 12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

**12.6 Endocrine disrupting properties** 

The product does not contain substances with endocrine disrupting properties.

### 12.7 Other adverse effects

Additional ecological information:

General notes:

Do not allow product to reach ground water, bodies of water or sewage system. Hazardous to drinking water even if small quantities leak into soil.

SECTION 13: Disposal considerations

### Recommendation

Not hardened material must be disposed of as hazardous waste according to official regulations. Hardened product remains may be disposed of as building rubble or put into household garbage. The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions.

### European waste catalogue

08 01 19\* aqueous suspensions containing paint or varnish containing organic solvents or other hazardous substances

### **Uncleaned packaging:**

### Recommendation:

Disposal must be made according to official regulations. Packaging can be reused or recycled after cleaning.

### **SECTION 14: Transport information**

14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 08.12.2022

Version number 9 (replaces version 8)

Revision: 08.12.2022

(Contd of page 6)

## Trade name INDULINE GW-360

	(contai of page of
14.7 Maritime transport in bulk according to         IMO instruments       Not applicable.	
Transport/Additional information:	Not a hazardous good according to the above regulations.
UN "Model Regulation":	Void
SECTION 15: Regulatory information	bn .

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### **National regulations**

### Other regulations, limitations and prohibition ordinances

Observe the usual protective measures when working and for storage.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This data is based on our present state of knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship. Delivery specifications are found in the respective Technical Information Sheets.

### **Relevant phrases**

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Classification according to Regulation (EC) No 1272/2008 Calculation method

Department issuing data specification sheet: Product Safety department / EHS

Date of previous version: 08.04.2020

### Version number of previous version: 8

### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

Page 8/8

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2022

Version number 9 (replaces version 8)

Revision: 08.12.2022

### Trade name INDULINE GW-360

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 (Contd. of page 7)