

Page 1/7

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 30.01.2023 Version number 5 (replaces version 4) Revision: 30.01.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

# Trade name Aqua MSL-45/sm Medium Build Stain UV+

Article number: 7130-7140

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Product category PC9a Coatings and paints, thinners, paint removers

Application of the substance / the mixture Coating

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Remmers GmbH Remmers (UK) Limited
Bernhard-Remmers-Str. 13 Unit 4 , Lloyds Court

D-49624 Löningen / Germany Manor Royal, Crawley – West Sussex RH10 9QU

Tel.: +49(0)5432/83-0 fon +44 (0) 1293 594 010 Fax: +49(0)5432/3985 fax +44 (0) 1293 594 037

Information department:

Product Safety department: Phone: +44 (0) 1293 594 010

Email: sales@remmers.co.ukk

#### 1.4 Emergency telephone number:

National Poisons Information Service (NPIS): In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

24h-Transport Emergency Contact Phone Number:

within USA and Canada: 1-800-424-9300 outside USA and Canada: 001-703-527-3887

#### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

#### Additional information:

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

**Description:** Mixture of the substances listed below with harmless additions.

(Contd. on page 2)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.01.2023 Version number 5 (replaces version 4) Revision: 30.01.2023

# Trade name Aqua MSL-45/sm Medium Build Stain UV+

(Contd. of page 1)

		(Conta. or page 1)
Dangerous components [% w/v	w]:	
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17- XXXX	titanium dioxide Ĉarc. 2, H351	≥2.5-<5%
CAS: 57-55-6 EINECS: 200-338-0 Reg.nr.: 01-2119456809-23- XXXX	propylene glycol substance with a Community workplace exposure limit	≥1-<2.5%
CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0 Reg.nr.: 01-2119475108-36- XXXX	2-butoxyethanol Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE: LD50 oral: 1,200 mg/kg	≥0.25-≤0.5%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one  Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317  Specific concentration limit: Skin Sens. 1;H317: C ≥ 0.05 %	≥0.0015-<0.05%
CAS: 55965-84-9 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48- XXXX	reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)  Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071  Specific concentration limits: Skin Corr. 1C;H314: $C \ge 0.6$ % Skin Irrit. 2; H315: $0.06$ % ≤ $0.6$ % Eye Dam. 1; H318: $0.06$ % ≤ $0.6$ % Eye Irrit. 2; H319: $0.06$ % ≤ $0.6$ % Skin Sens. 1A; H317: $0.06$ % ≤ $0.0015$ %	≥0.00025-<0.0015%

Additional information For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

# 4.1 Description of first aid measures

After inhalation No special requirements.

After skin contact If skin irritation continues, consult a doctor.

After eye contact Rinse opened eye for several minutes under running water.

After swallowing Seek immediate medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing agents Use fire fighting measures that suit the environment.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 30.01.2023 Version number 5 (replaces version 4) Revision: 30.01.2023

# Trade name Aqua MSL-45/sm Medium Build Stain UV+

(Contd. of page 2)

### 6.2 Environmental precautions:

Do not allow to enter the ground/soil.

Dilute with plenty of water.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

No special measures required.

No special precautions necessary if used correctly.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and containers: No special requirements.

Information on storage in a common storage facility: none

Further information about storage conditions: Protect from frost.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Components with limit values that require monitoring at the workplace:	
CAS: 13463-67-7 titanium dioxide	
WEL Long-term value: 10* 4** mg/m³ *total inhalable **respirable	
CAS: 57-55-6 propylene glycol	
WEL Long-term value: 474* 10** mg/m³, 150* ppm  *total vapour and particulates **particulates	
CAS: 111-76-2 2-butoxyethanol	
WEL Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm Sk, BMGV	
Ingredients with biological limit values:	
CAS: 111-76-2 2-butoxyethanol	

Additional information: The lists that were valid during compilation were used as a basis.

#### 8.2 Exposure controls

**Appropriate engineering controls** No further data; see item 7.

Individual protection measures, such as personal protective equipment

#### General protective and hygienic measures

Do not eat, drink or smoke while working.

240 mmol/mol creatinine

Sampling time: post shift Parameter: butoxyacetic acid

Medium: urine

Use skin protection cream for preventive skin protection.

Wash hands before pauses and after work.

The following indication regarding the personal protective equipment are to be considered as suggestions. The selection of the necessary personal protective equipment is to be evalutated by the employer depending on the types of operations and the local circumstances. If a risk assessment onsite shows that there is no risk for employees, the personal protective euigment is not required or the amount of the PPE can be adpated accordingly.

Respiratory equipment: not required.

#### Hand protection

Protective gloves or protective skin cream.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 30.01.2023 Version number 5 (replaces version 4) Revision: 30.01.2023

# Trade name Aqua MSL-45/sm Medium Build Stain UV+

(Contd. of page 3)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### **Material of gloves**

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eve/face protection if there is a risk of splashes Body protection: Protective work clothing.

## SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

**General Information** 

Physical state

Colour: According to product specification

Odour: Characteristic Odour threshold: Not determined. Melting point/freezing point: Not determined

Boiling point or initial boiling point and boiling

100 °C range

**Flammability** Not applicable.

Lower and upper explosion limit

Lower: Not determined. Upper: Not determined. Flash point: >100 °C Ignition temperature: not applicable **Decomposition temperature:** Not determined.

pH at 20 °C 8.7

Viscosity:

Kinematic viscosity Not determined. dynamic at 20 °C: 800 mPas

Solubility

Water: Fully miscible Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C: 23 hPa

Density and/or relative density

Density at 20 °C: 1.02 g/cm<sup>3</sup> Relative density Not determined. Vapour density Not determined.

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health

and environment, and on safety.

**Explosive properties:** Product is not explosive.

Solvent separation test < 3 % **VOC EU** <130 g/l 65.0 % Water: Solid content: 33.7 %

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Version number 5 (replaces version 4) Printing date 30.01.2023 Revision: 30.01.2023

# Trade name Aqua MSL-45/sm Medium Build Stain UV+

(Contd. of page 4)

		, , ,
Change in condition Evaporation rate	Not determined.	
•		
Information with regard to physical hazard classes		
Explosives	Void	
_		
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

#### **SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if handled and stored according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification: No further relevant information available.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met. STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards

#### **Endocrine disrupting properties**

None of the ingredients is listed.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Aquatic toxicity:** No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.01.2023 Version number 5 (replaces ver

Version number 5 (replaces version 4) Revision: 30.01.2023

# Trade name Aqua MSL-45/sm Medium Build Stain UV+

(Contd. of page 5)

12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes:

Do not allow product to reach ground water, bodies of water or sewage system.

Hazardous to drinking water even if small quantities leak into soil.

### SECTION 13: Disposal considerations

#### Recommendation

Liquid material remains are to be disposed of at collection facilities for old varnishes.

The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions.

European waste catalogue	
08 01 19* aqueous suspensions of hazardous substances	containing paint or varnish containing organic solvents or other

#### Uncleaned packaging:

#### Recommendation:

Disposal must be made according to official regulations.

Packaging can be reused or recycled after cleaning.

Recommended cleaning agent: Water, if necessary with cleaning agent.

## **SECTION 14: Transport information**

4441111	
14.1 UN number or ID number	
ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name	
ADR, ADN, IMDG, IATA	Void
ADIT, ADIT, IMDO, IATA	Volu
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
	10.0
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according	to
IMO instruments	Not applicable.
Transport/Additional information:	Not a hazardous good according to the above
	regulations.
UN "Model Regulation":	Void

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substant electrical and electronic equipment – Annex II	es in
None of the ingredients is listed.	

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 30.01.2023

Version number 5 (replaces version 4)

# Trade name Aqua MSL-45/sm Medium Build Stain UV+

(Contd. of page 6)

Revision: 30.01.2023

#### **REGULATION (EU) 2019/1148**

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### **National regulations**

#### Other regulations, limitations and prohibition ordinances

Also when working with low-pollutant varnishes, the usual protective measures should be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This data is based on our present state of knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship. Delivery specifications are found in the respective Technical Information Sheets.

Relevant phrases	
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Classification according to Regulation (EC) No 1272/2008 Calculation method

Department issuing data specification sheet: Product Safety department / EHS

Date of previous version: 26.03.2020 Version number of previous version: 4

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Carc. 2: Carcinogenicity - Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1